

## IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1-2. (Canceled).

3. (Currently Amended) A light emitting device having an organic electroluminescence element, comprising: an the organic electroluminescence element comprising:

an anode[[,]] and a cathode[[,]]; ~~and an organic EL film between the anode and the cathode, said organic EL film comprising:~~

~~a hole transport layer; and~~

an organic luminescent layer formed between the anode and the cathode adjacent to said ~~hole transport layer, ; and~~


a hole transport layer formed between the anode and the organic luminescent layer,

wherein [[said]] the organic luminescent layer [[being]] is capable of converting triplet excitation energy into light to be emitted,

wherein a host material and a luminescent material are included in [[said]] the organic luminescent layer,


wherein [[said]] the luminescent material comprises a metal complex,

wherein [[said]] the hole transport layer comprises a material expressed by the following formula



and

wherein the host material comprises a material expressed by the following formula



4. (Original) An electronic appliance comprising said light emitting device according to claim 3, wherein said electronic appliance is selected from the group consisting of an organic

electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

5. (Currently amended) A light emitting device having an organic electroluminescence element, comprising: an the organic electroluminescence element comprising:

an anode[[,]] and a cathode[[,]]; ~~and an organic EL film between the anode and the cathode, said organic EL film comprising:~~


an organic luminescent layer formed between the anode and the cathode;  
a hole transport layer formed between the anode and the organic luminescent layer; and  
a hole blocking layer formed between the cathode and the organic luminescent layer,  
wherein the organic luminescent layer is capable of converting triplet excitation energy  
into light to be emitted,

~~said~~ wherein the organic luminescent layer including includes a host material and a luminescent material; ~~and,~~


~~a hole blocking layer provided adjacent to said organic luminescent layer,~~

wherein [[said]] the luminescent material comprises a metal complex,

wherein the hole transport layer comprises a material expressed by the following formula




wherein the hole blocking layer comprises a material expressed by the following formula



, and

wherein the host material comprises a material expressed by the following formula



6. (Original) An electronic appliance comprising said light emitting device according to claim 5, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

7. (Currently amended) A light emitting device having an organic electroluminescence element, comprising: an the organic electroluminescence element comprising:

an anode[[,]] and a cathode[[,]]; ~~and an organic EL film between the anode and the eathode, said organic EL film comprising:~~


an organic luminescent layer formed between the anode and the cathode;

a hole transport layer formed between the anode and the organic luminescent layer; and

a hole blocking layer formed between the cathode and the organic luminescent layer,


wherein the organic luminescent layer is capable of converting triplet excitation energy into light to be emitted,

said wherein the organic luminescent layer ~~including~~ includes a host material and a luminescent material; ~~and,~~  
~~a hole blocking layer provided adjacent to said organic luminescent layer,~~  
 wherein ~~[[said]]~~ the luminescent material comprises a metal complex,  
wherein the hole transport layer comprises a material expressed by the following formula




2

wherein ~~[[said]]~~ the hole blocking layer comprises a material expressed by the following formula



, and

wherein the host material comprises a material expressed by the following formula



8. (Original) An electronic appliance comprising said light emitting device according to claim 7, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

9. (Currently amended) A light emitting device having an organic electroluminescence element, comprising: ~~an~~ the organic electroluminescence element comprising:

~~an anode[[,]] and a cathode[[,]]; and an organic EL film between the anode and the cathode, said organic EL film comprising:~~


an organic luminescent layer formed between the anode and the cathode;

a hole transport layer formed between the anode and the organic luminescent layer; and

a hole blocking layer formed between the cathode and the organic luminescent layer,


wherein the organic luminescent layer is capable of converting triplet excitation energy into light to be emitted,

said wherein the organic luminescent layer including includes a host material and a luminescent material;~~and,~~  
~~a hole blocking layer provided adjacent to said organic luminescent layer,~~  
 wherein ~~[[said]]~~ the luminescent material comprises a metal complex,  
wherein the hole transport layer comprises a material expressed by the following formula




wherein ~~[[said]]~~ the hole blocking layer comprises a material expressed by the following formula,





wherein “A” indicates one of carbon or silicon, and

wherein [[said]] the host material comprises a material expressed by the following formula



10. (Original) An electronic appliance comprising said light emitting device according to claim 9, wherein said electronic appliance is selected from the group consisting of an organic

electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

11. (Currently amended) A light emitting device having an organic electroluminescence element, comprising: an the organic electroluminescence element comprising:

an anode[[,]] and a cathode[[,]]; and an organic EL film between the anode and the eathode, said organic EL film comprising:

an organic luminescent layer formed between the anode and the cathode;

a hole transport layer formed between the anode and the organic luminescent layer; and

a hole blocking layer formed between the cathode and the organic luminescent layer,


wherein the organic luminescent layer is capable of converting triplet excitation energy  
into light to be emitted,

said wherein the organic luminescent layer including includes a host material and a luminescent material; and,

a hole blocking layer provided adjacent to said organic luminescent layer,


wherein said luminescent material comprises a metal complex,

wherein said hole transport layer comprises a material expressed by the following  
formula




wherein the hole blocking layer comprises a material expressed by the following formula,

wherein “A” indicates one of carbon or silicon, and



wherein the host material comprises a material expressed by the following formula



12. (Original) An electronic appliance comprising said light emitting device according to claim 11, wherein said electronic appliance is selected from the group consisting of an organic electroluminescence display, a video camera, a digital camera, a portable computer, a personal computer, a mobile telephone, and an acoustic equipment.

13. (Canceled)

14. (Currently Amended) A light emitting device according to claim 3, wherein said metal complex ~~comprises~~ is selected from the group consisting of 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphyrin-porphyrin -platinum (PtOEP) and tris(2-phenylpyridine)iridium (Ir(ppy)<sub>3</sub>).

15. (Currently Amended) A light emitting device according to claim 5, wherein said metal complex ~~comprises~~ is selected from the group consisting of 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphyrin-porphyrin -platinum (PtOEP) and tris(2-phenylpyridine)iridium (Ir(ppy)<sub>3</sub>).

16. (Currently Amended) A light emitting device according to claim 7, wherein said metal complex ~~comprises~~ is selected from the group consisting of 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphyrin-porphyrin -platinum (PtOEP) and tris(2-phenylpyridine)iridium (Ir(ppy)<sub>3</sub>).

17. (Currently Amended) A light emitting device according to claim 9, wherein said metal complex ~~comprises~~ is selected from the group consisting of 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphyrin-porphyrin -platinum (PtOEP) and tris(2-phenylpyridine)iridium (Ir(ppy)<sub>3</sub>).

18. (Currently Amended) A light emitting device according to claim 11, wherein said metal complex ~~comprises~~ is selected from the group consisting of 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphyrin-porphyrin -platinum (PtOEP) and tris(2-phenylpyridine)iridium (Ir(ppy)<sub>3</sub>).